IBTM5660 Utility Services

http://ibse.hk/IBTM5660/

Assignment 02 – Steam Systems, Fuel Gas Supply, Vertical Transportation, Telecommunication and Extra Low Voltage Systems (2022-2023)

1. Steam Systems

1.1 Discuss the importance of condensate recovery in steam systems. Explain the operating principles of different types of steam traps. Illustrate with diagrams.

(9 marks)

- 1.2 Blowdown water is released from a steam boiler at the saturation temperature appropriate to the boiler pressure of 7 bar gauge to a flash steam system operating at 0.5 bar gauge. Calculate the percentage of the water blown down from the boiler that will change to flash steam. If the blowdown rate is 0.5 kg/s, determine the rate of energy recovered from flash steam generation. If further useful energy can be recovered from the residual blowdown water by passing it through a heat exchanger to cool the residual blowdown to 20 °C, calculate the energy recovered from the residual blowdown and the total energy recovered.
 - <u>Given</u>: Specific enthalpy of water at 7 bar gauge = 721 kJ/kgSpecific enthalpy of water at 0.5 bar gauge = 468 kJ/kgSpecific enthalpy of evaporation at 0.5 bar gauge = 2226 kJ/kgSpecific enthalpy of water at $20 \text{ }^{\circ}\text{C} = 84 \text{ kJ/kg}$

(8 marks)

2. Fuel Gas Supply

2.1 Briefly describe the four types of gas water heaters for domestic bathroom application. Discuss the issue of accidental carbon monoxide poisoning and suggest a suitable type of gas water heater to avoid such an accident.

(10 marks)

2.2 A commercial kitchen appliance running on town gas (with a calorific value of 17.27 MJ/m³) has a heat output of 30 kW and an efficiency of 72%. Calculate the flow rate of towngas required for the appliance. Given the following data and information, calculate the pressure loss of the town gas pipe.

| Gas flow rate = $8 \text{ m}^{3/\text{hr}}$ | The Pole formula: |
|--|---|
| Pipe diameter = 15 mm Specific gravity of town gas = 0.52 Length of the pipe = 4.2 m | $Q = 0.0071 \sqrt{\frac{h \times d^5}{s \times l}} \qquad (m^3/hr)$ |
| | |

(7 marks)

Explain the design requirements and considerations for fireman's lift. Discuss the 3.4 influencing factors and typical options/solutions for the modernisation of lifts and escalators in existing buildings.

of fire and smoke in atrium and multi-story buildings. Illustrate with diagram(s).

A lift system comprising four cars of rated speed 1.6 m/s and rated car capacity of 12 persons have door opening times of 2.8 seconds and door closing times of 3.6 seconds. The flight time between adjacent floors of interfloor distance 3.5 m is 4.3 seconds. Assuming passengers can enter/exit at 1.2 seconds (average time), calculate the round trip time (RTT). Assume that the highest floor reached is 10 and the number of stops is

Discuss the precautions needed for escalator planning and design to prevent the spread

(8 marks)

4. **Telecommunication Services**

4.1 Draw a conceptual diagram to show the typical examples of information technology (IT) and telecommunication systems in a multi-story commercial building. Discuss the key factors and major considerations for planning and designing these systems.

(10 marks)

4.2 Explain the steps to design a structured cabling system (SCS) for a commercial building. Illustrate with diagrams.

(7 marks)

5. **Extra Low Voltage Systems**

5.1 Describe the three types of extra low voltage (ELV) sources and illustrate with diagrams. Explain the principles of using ELV design to ensure safety of the electric circuit.

(8 marks)

- Briefly explain the basic concepts and design considerations for the following extra low 5.2 voltage (ELV) systems. Illustrate with diagram(s).
 - (a) Communal aerial broadcast distribution (CABD) and satellite master antenna television (SMATV) systems
 - (b) Private branch exchange (PBX) and public address (PA) systems

(8 marks)

Vertical Transportation

3.

3.2

3.3

Describe the different circulation elements in buildings and explain how they will affect 3.1 the planning and design of vertical transportation.

9. If the lift speed is increased to 2.2 m/s, what is the effect on the RTT?

(8 marks)

(10 marks)

(7 marks)