

## **Appendix II**

### **Summary of Hong Kong Weather Data**

This appendix contains monthly and annual averages of four major weather parameters in Hong Kong:

- Table A2.1 for dry-bulb temperature.
- Table A2.2 for wet-bulb temperature.
- Table A2.3 for dew-point temperature.
- Table A2.3 for daily total global solar radiation.

The data are compiled from the publications of the Royal Observatory Hong Kong (ROHK, 1987-1992; ROHK, 1947-86; Peacock, 1952; ROHK, 1963) and the hourly weather data collected in this research.

Table A2.1 Monthly Average Dry-bulb Temperature of Hong Kong

(a) For Years 1960 - 1994

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1994	17.0	17.3	17.8	24.7	27.4	28.0	27.9	27.9	27.1	24.9	22.9	19.8	23.6
1993	14.6	18.0	19.4	21.8	26.0	28.3	29.4	28.6	27.5	24.6	21.7	17.1	23.1
1992	15.7	15.4	18.0	21.9	24.8	27.2	28.2	29.4	28.9	24.6	20.4	19.2	22.8
1991	16.9	17.1	20.3	22.8	26.5	28.4	28.9	28.6	28.1	24.8	21.0	18.4	23.5
1990	15.9	16.2	18.5	21.4	24.6	27.9	29.0	29.5	27.8	25.1	22.1	18.8	23.1
1989	15.7	16.6	18.6	22.0	25.1	27.5	28.8	28.9	28.1	25.1	21.5	17.8	23.0
1988	17.9	16.3	16.8	20.8	26.6	28.6	29.0	27.8	27.6	24.4	19.9	17.7	22.8
1987	17.3	18.3	21.3	21.9	25.0	27.5	28.9	28.6	27.3	25.7	21.8	16.8	23.4
1986	15.9	14.7	17.6	22.6	25.9	28.0	28.5	29.0	27.8	25.0	20.5	17.7	22.8
1985	15.4	15.8	16.7	20.5	26.8	27.2	28.4	28.0	26.8	25.8	22.4	17.2	22.6
1984	14.1	14.5	18.0	21.4	24.6	27.9	29.0	28.2	27.3	25.3	22.3	17.0	22.5
1983	15.0	14.8	17.1	23.2	26.0	28.6	29.4	29.0	28.3	26.4	21.5	16.8	23.0
1982	16.9	15.9	19.2	20.9	25.3	27.2	28.6	28.3	27.5	25.8	22.3	16.7	22.9
1981	16.3	17.6	20.6	24.2	25.2	26.9	28.4	29.1	27.2	24.8	20.3	16.4	23.1
1980	16.6	14.0	19.8	22.1	24.6	28.4	28.7	28.8	27.3	25.5	22.3	18.1	23.0
1979	17.6	18.9	19.3	21.7	24.4	26.9	29.2	27.9	27.1	24.7	20.4	18.6	23.1
1978	15.9	16.0	18.1	21.9	25.0	28.4	28.9	28.2	27.9	24.0	20.9	18.6	22.9
1977	13.7	14.0	19.9	24.2	27.8	28.8	28.7	29.0	27.8	25.7	20.7	19.4	23.4
1976	15.6	17.6	18.2	21.1	25.9	27.4	28.1	27.9	26.8	24.9	19.1	17.3	22.5
1975	16.0	17.5	18.5	24.2	26.6	27.4	28.3	27.7	27.8	25.2	20.3	14.5	22.9
1974	16.1	14.3	17.7	22.0	26.6	27.4	28.7	28.7	27.6	25.3	20.9	17.7	22.8
1973	16.0	19.2	20.8	24.0	26.8	27.5	27.9	27.6	27.3	24.8	20.9	16.6	23.3
1972	15.7	14.7	19.5	21.5	25.0	27.7	28.8	27.5	27.7	25.6	22.4	17.8	22.8
1971	14.2	15.7	18.4	23.1	25.9	28.5	28.8	28.1	27.9	24.2	20.8	17.3	22.8
1970	14.9	17.7	15.8	21.2	25.8	28.4	29.3	28.3	27.3	24.7	21.5	18.2	22.8
1969	16.9	14.4	16.9	21.1	26.7	27.1	29.0	28.7	29.0	25.2	20.6	16.9	22.8
1968	14.0	9.6	15.3	18.9	23.9	25.4	27.3	26.3	25.7	22.5	20.4	19.4	20.8
1967	14.5	14.6	18.7	22.1	28.0	28.3	29.7	28.5	27.4	24.8	22.5	15.4	22.9
1966	17.7	18.0	20.6	23.5	25.7	27.2	28.4	28.9	28.0	25.8	23.1	18.7	23.8
1965	16.5	17.8	18.6	21.5	25.1	26.9	28.6	28.7	27.1	25.4	22.9	18.0	23.1
1964	16.0	14.3	17.7	24.0	25.8	27.6	29.0	28.1	27.4	25.9	21.1	17.3	22.9
1963	14.2	15.7	18.8	22.7	28.2	28.1	28.0	28.7	28.5	25.0	22.7	18.4	23.3
1962	14.1	16.6	18.2	20.5	26.7	27.5	29.1	29.2	27.5	25.0	20.5	17.7	22.8
1961	15.1	15.5	18.3	22.0	25.3	28.7	28.3	27.9	27.0	25.8	22.3	18.6	22.9
1960	16.2	17.4	21.2	21.6	25.3	27.3	28.9	28.1	27.4	24.8	21.8	16.9	23.1

Note: 1. The above figures are in °C.

Table A2.1 Monthly Average Dry-bulb Temperature of Hong Kong  
(b) For Years 1918 - 1939 and 1947 - 1959

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1959	15.2	17.2	18.4	22.5	25.8	28.1	28.0	27.8	26.9	25.2	22.0	18.8	23.0
1958	15.1	14.6	19.7	23.7	26.4	27.4	28.5	27.7	27.4	24.1	20.7	18.1	22.8
1957	16.0	12.6	16.6	22.1	25.1	27.1	28.5	28.2	27.0	23.7	21.8	18.4	22.3
1956	14.1	15.7	17.8	23.3	25.4	27.9	28.6	27.9	27.9	24.7	19.2	16.2	22.4
1955	13.8	16.7	19.9	21.9	25.9	27.1	27.7	27.6	28.1	24.5	19.7	17.8	22.6
1954	17.1	15.9	16.0	21.4	26.6	28.2	28.7	28.1	27.4	24.4	21.4	16.1	22.6
1953	15.7	16.2	18.2	18.9	24.2	27.8	28.8	28.6	26.6	25.7	21.6	17.7	22.5
1952	16.4	16.2	18.4	22.1	26.9	27.9	28.3	27.6	26.8	24.8	22.2	15.6	22.8
1951	14.7	15.9	15.8	20.3	24.7	26.2	28.1	27.7	27.6	25.3	21.0	18.1	22.1
1950	17.9	15.4	18.7	20.7	24.7	26.3	28.4	27.7	27.8	25.5	20.9	15.4	22.5
1949	14.8	16.6	18.8	21.4	26.0	27.7	28.2	27.4	27.3	24.8	21.0	18.3	22.7
1948	15.2	16.7	19.8	22.3	25.9	27.4	27.9	28.1	27.2	24.7	19.2	19.2	22.8
1947	16.4	13.8	17.2	20.3	24.9	27.1	27.6	27.6	27.0	23.6	21.3	17.2	22.0
1939	15.8	17.1	18.1	20.2	24.4	27.5	27.9	27.6	27.2	25.4	21.8	16.6	22.5
1938	15.7	14.9	17.2	22.2	25.8	28.8	27.9	27.7	27.6	25.4	20.8	18.2	22.7
1937	16.4	16.2	18.2	22.1	26.0	27.4	28.2	27.9	27.8	25.3	21.6	18.3	23.0
1936	14.3	15.2	13.9	21.6	24.8	28.1	28.4	27.9	27.2	24.4	21.4	18.3	22.2
1935	15.6	16.1	18.9	21.3	25.2	27.9	27.7	27.8	25.8	25.4	21.8	15.8	22.5
1934	13.3	15.5	17.5	20.1	24.8	27.2	27.8	27.0	27.8	23.6	20.9	17.4	21.9
1933	13.0	15.6	17.6	22.1	25.8	28.1	27.9	28.8	27.7	24.8	20.6	18.2	22.6
1932	15.8	13.9	17.0	21.7	27.3	27.7	27.6	27.8	26.6	24.5	21.3	17.1	22.4
1931	16.3	16.3	17.6	21.6	25.0	27.4	28.2	28.2	27.3	23.6	21.3	17.4	22.5
1930	12.6	15.7	17.7	23.1	26.2	27.7	27.9	27.8	26.3	24.9	21.5	17.8	22.5
1929	16.9	14.9	18.3	21.8	25.6	28.1	27.6	27.3	27.3	24.7	19.8	18.2	22.6
1928	16.4	14.8	17.3	21.6	25.2	26.6	28.6	28.0	27.6	23.9	20.7	18.7	22.5
1927	15.4	14.7	15.6	19.6	24.2	27.6	27.7	27.8	26.3	23.8	21.7	18.6	22.0
1926	16.2	15.6	17.7	20.5	24.5	25.4	27.8	27.8	27.5	23.6	20.5	17.1	22.0
1925	13.8	13.3	17.6	18.4	25.2	27.3	28.1	28.1	27.4	24.1	22.2	17.2	21.9
1924	16.9	15.7	16.9	20.7	26.4	26.9	27.6	27.7	27.9	24.7	20.1	16.6	22.4
1923	15.6	14.9	18.4	21.9	25.4	27.0	27.8	27.3	27.3	24.4	22.0	17.9	22.5
1922	15.8	16.3	17.8	21.7	25.9	27.7	28.1	28.0	26.9	24.2	20.2	16.5	22.4
1921	14.9	15.4	17.7	22.2	25.1	27.2	27.6	27.9	26.7	24.3	21.0	18.1	22.4
1920	15.1	14.9	16.9	20.7	24.5	27.2	28.1	27.6	27.3	24.5	21.6	18.2	22.3
1919	16.4	14.4	19.3	22.5	24.8	28.1	27.7	28.2	26.7	23.4	20.1	16.1	22.4
1918	12.2	15.1	17.8	21.3	24.6	26.4	27.7	26.4	26.4	24.7	20.7	18.4	21.8

Note: 1. The above figures are in °C.

Table A2.1 Monthly Average Dry-bulb Temperature of Hong Kong  
(c) For Years 1884 - 1917

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1917	13.2	15.2	16.4	20.8	23.8	27.7	27.3	27.8	27.8	25.0	20.1	15.1	21.7
1916	15.9	15.3	15.7	21.4	25.6	26.4	28.2	28.1	26.9	24.4	19.9	17.1	22.1
1915	15.6	17.6	18.3	23.7	24.2	27.6	28.4	28.6	27.2	26.1	21.6	17.4	23.0
1914	17.1	17.3	19.6	21.9	25.8	27.8	27.7	27.9	26.9	25.3	21.1	17.8	23.0
1913	15.1	15.8	16.5	21.8	25.1	27.3	28.2	27.6	26.9	24.5	21.1	16.1	22.2
1912	14.1	15.5	17.9	21.1	26.1	27.6	28.3	27.7	26.4	24.5	20.7	16.3	22.2
1911	14.9	15.7	18.6	20.9	24.2	28.3	27.8	27.7	27.3	23.5	20.6	17.9	22.3
1910	16.6	15.6	17.4	20.9	26.1	27.9	27.9	27.9	26.5	24.1	20.4	15.4	22.2
1909	15.9	15.8	17.8	21.7	23.8	27.8	27.9	28.2	27.9	25.4	21.3	17.6	22.6
1908	16.7	14.6	16.2	20.3	24.5	26.8	27.9	27.8	27.2	24.9	21.2	17.4	22.2
1907	16.3	14.8	17.7	20.7	24.6	26.6	28.1	27.7	27.0	26.1	21.9	16.6	22.4
1906	14.7	15.8	16.4	20.6	24.7	28.0	28.3	28.4	27.2	24.2	19.7	17.5	22.1
1905	17.9	12.9	14.9	19.9	25.6	27.3	27.9	27.3	26.7	24.4	20.7	18.5	22.1
1904	15.3	17.0	17.3	21.5	24.2	26.6	27.3	27.1	26.8	24.7	20.4	15.9	22.0
1903	14.6	14.7	19.1	22.4	24.1	27.8	27.6	27.2	25.9	24.5	19.6	16.2	22.0
1902	17.3	15.3	20.1	22.8	26.3	26.8	27.7	27.7	27.1	24.8	21.9	18.1	23.0
1901	18.3	12.7	17.6	22.2	25.1	27.5	27.9	27.0	26.8	25.2	20.8	16.4	22.3
1900	13.1	13.8	16.5	22.5	25.6	26.3	27.4	28.4	27.3	24.8	20.4	18.0	22.1
1899	15.0	15.3	18.3	21.1	25.3	26.5	28.3	27.2	26.8	23.8	19.9	19.0	22.2
1898	15.6	17.1	17.9	20.7	25.8	27.6	27.6	27.5	27.2	23.8	20.8	16.7	22.4
1897	17.3	12.3	17.4	20.2	26.2	27.5	27.8	27.1	27.3	24.9	21.0	15.9	22.1
1896	16.7	13.3	15.2	21.6	24.4	27.1	28.3	28.0	27.5	25.5	22.1	16.8	22.2
1895	13.6	15.7	17.3	22.4	25.1	27.3	27.8	27.4	26.7	23.8	20.3	17.3	22.1
1894	15.3	15.6	17.4	21.8	24.9	26.6	27.3	27.2	27.2	23.6	21.1	16.9	22.1
1893	13.1	13.1	16.6	21.2	24.0	27.3	26.7	27.3	26.6	24.1	20.5	16.8	21.5
1892	15.4	16.3	16.2	21.3	24.2	27.0	27.4	27.0	25.9	23.7	20.9	14.9	21.7
1891	17.0	14.8	16.2	19.7	24.4	26.3	27.3	27.3	27.3	26.3	21.0	17.6	22.2
1890	15.0	17.3	16.6	21.8	25.4	27.4	27.2	26.8	26.1	24.1	20.4	18.8	22.3
1889	14.8	14.3	17.7	20.7	25.6	27.8	28.7	27.2	26.9	26.1	20.4	17.0	22.3
1888	16.2	12.9	18.0	22.5	25.6	26.8	28.4	27.4	27.2	24.2	21.8	18.4	22.5
1887	14.8	13.3	16.3	20.6	23.8	27.6	27.4	26.9	27.7	24.4	20.7	17.4	21.8
1886	14.8	12.0	16.7	20.8	24.3	26.6	27.0	27.3	26.5	24.9	20.6	15.4	21.4
1885	14.8	12.7	16.4	21.3	25.3	27.0	27.2	26.7	25.9	23.9	20.0	17.6	21.6
1884	16.4	13.7	16.4	19.2	23.0	25.9	27.5	27.4	26.9	24.8	19.6	15.5	21.4
Mean	15.6	15.5	17.8	21.6	25.4	27.4	28.2	27.9	27.2	24.8	21.0	17.4	22.5
Max	18.3	19.2	21.3	24.7	28.2	28.8	29.7	29.5	29.0	26.4	23.1	19.8	23.8
Min	12.2	9.6	13.9	18.4	23.0	25.4	26.7	26.3	25.7	22.5	19.1	14.5	20.8

Note: 1. The above figures are in °C.  
2. The mean, maximum and minimum are for the monthly values for the years 1884 - 1994, except the years 1940 - 1946 during World War II.

Table A2.2 Monthly Average Wet-bulb Temperature of Hong Kong

(a) For Years 1960 - 1994

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1994	14.3	15.6	15.4	22.5	24.4	25.6	26.1	25.7	24.9	20.8	19.7	17.8	21.1
1993	12.2	15.7	17.5	20.2	24.0	26.1	26.5	26.1	24.8	20.7	18.9	13.7	20.5
1992	12.8	13.8	16.9	20.4	23.1	25.3	25.7	26.1	25.4	20.2	16.4	16.7	20.2
1991	15.0	14.6	18.8	20.5	24.0	25.7	26.1	26.1	24.7	20.9	17.2	15.9	20.8
1990	14.2	14.8	16.4	20.0	22.4	25.9	26.1	26.1	25.0	21.7	19.1	15.5	20.6
1989	13.8	14.0	15.9	20.4	23.4	25.3	25.9	26.1	25.0	21.7	18.0	15.0	20.4
1988	15.5	14.4	15.3	18.3	24.9	25.7	26.3	25.8	24.5	21.5	16.0	14.3	20.2
1987	14.4	16.0	19.8	20.3	23.6	25.1	26.4	26.0	24.5	23.2	19.3	12.8	21.0
1986	12.5	12.5	15.7	20.8	23.9	25.8	26.1	26.1	24.2	21.6	17.6	15.1	20.2
1985	13.1	14.5	15.0	18.5	24.6	25.1	25.6	26.0	24.6	22.6	19.4	13.9	20.3
1984	10.9	12.3	16.0	19.9	22.5	26.0	25.9	25.7	24.8	21.8	18.8	13.9	19.9
1983	12.8	13.5	15.5	21.4	24.0	25.8	26.4	26.3	25.4	23.4	16.6	13.1	20.4
1982	13.9	14.1	17.6	18.7	23.2	24.6	26.1	25.9	25.0	22.8	19.6	13.0	20.4
1981	13.0	15.6	18.7	22.2	22.7	24.3	25.7	26.3	24.7	21.8	17.5	12.4	20.4
1980	14.0	12.2	18.1	20.2	22.7	25.8	26.2	26.2	23.9	22.0	18.7	14.2	20.4
1979	15.6	16.6	18.1	20.0	22.7	25.0	26.3	25.9	24.5	19.6	15.9	15.7	20.5
1978	13.1	13.8	17.1	20.5	23.3	25.8	25.8	26.0	25.1	20.5	17.9	15.5	20.4
1977	11.7	11.1	16.9	21.8	25.4	26.4	26.5	26.2	24.4	22.7	16.4	16.6	20.6
1976	12.0	15.2	16.3	19.2	23.7	25.3	25.8	25.7	24.1	22.2	15.0	14.4	19.9
1975	13.8	15.1	16.8	21.9	24.8	25.4	25.8	25.8	25.2	22.6	17.0	11.2	20.5
1974	13.2	11.6	15.5	20.1	24.4	25.1	25.7	25.4	24.9	21.9	17.6	15.2	20.1
1973	13.8	17.5	18.7	22.4	25.2	25.8	26.1	25.7	25.1	21.0	17.1	11.7	20.8
1972	13.1	13.1	16.7	19.5	23.7	25.6	26.2	25.7	25.1	22.7	19.6	14.9	20.5
1971	10.5	13.1	15.8	20.6	23.5	25.9	26.1	25.5	24.6	20.0	15.9	14.4	19.7
1970	12.1	15.1	14.4	18.4	23.7	26.0	26.1	25.9	25.0	21.4	17.6	15.6	20.1
1969	15.4	12.7	15.2	19.1	24.3	24.9	26.4	25.9	25.1	21.1	16.3	12.9	20.0
1968	13.5	9.7	15.6	18.9	23.9	25.2	26.2	26.1	24.2	20.7	19.1	18.9	20.2
1967	11.0	12.2	16.6	20.2	25.1	25.2	26.4	25.9	23.9	20.5	19.0	11.5	19.8
1966	15.1	15.8	18.7	21.8	22.2	25.2	25.9	25.6	22.3	21.8	18.7	15.7	20.8
1965	13.1	15.8	15.7	19.7	22.2	24.8	25.8	25.4	24.0	22.2	19.8	15.2	20.3
1964	14.2	12.6	15.5	22.1	23.2	25.0	25.8	25.8	24.7	23.0	16.2	13.2	20.1
1963	8.9	12.4	16.3	20.3	24.6	25.2	25.4	25.9	25.5	20.8	19.7	14.9	20.0
1962	9.9	13.6	15.7	18.5	24.3	25.5	26.3	26.0	25.1	22.6	17.4	13.8	19.9
1961	12.0	13.4	16.6	19.9	22.9	25.8	25.9	25.7	24.8	21.7	19.2	15.5	20.3
1960	13.1	14.1	19.4	19.4	23.3	25.0	25.8	25.8	24.7	20.9	19.5	13.9	20.4

Note: 1. The above figures are in °C.

Table A2.2 Monthly Average Wet-bulb Temperature of Hong Kong  
(b) For Years 1918 - 1939 and 1947 - 1959

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1959	11.5	15.9	16.2	20.4	23.7	25.9	25.8	25.7	24.4	20.6	18.3	15.9	20.4
1958	12.8	12.1	17.9	21.7	23.8	24.9	25.8	25.1	24.7	20.1	16.6	14.6	20.1
1957	13.8	10.9	14.9	20.2	23.4	25.1	26.0	25.8	23.9	20.1	18.0	15.6	19.9
1956	11.2	13.9	16.2	20.8	23.7	25.5	25.9	25.4	24.2	20.8	15.1	13.2	19.7
1955	10.2	14.3	18.1	19.4	23.6	25.1	25.6	25.4	25.4	20.2	15.4	14.4	19.8
1954	15.3	13.9	13.6	20.2	24.3	25.8	26.0	25.7	24.2	20.8	17.9	12.5	20.0
1953	13.1	14.6	16.7	17.1	22.6	25.6	26.2	26.3	24.5	23.6	18.5	15.0	20.4
1952	13.7	14.4	17.1	20.7	24.9	25.8	26.1	25.6	24.7	21.6	18.7	12.2	20.5
1951	12.8	14.1	14.7	18.9	22.6	24.6	25.8	25.7	24.7	21.8	18.1	14.2	19.9
1950	15.2	13.5	16.9	19.0	22.9	24.9	26.0	25.5	24.9	21.9	17.3	12.1	20.0
1949	12.5	14.3	17.3	19.6	24.1	25.5	25.5	25.8	25.2	20.8	18.0	16.0	20.4
1948	12.8	15.4	18.0	20.7	24.5	25.8	25.8	26.0	24.8	21.5	15.7	17.5	20.7
1947	15.2	11.9	15.2	18.4	23.6	25.6	26.0	25.8	25.2	20.2	17.8	14.5	20.0
1939	13.6	14.8	16.9	18.2	22.5	25.4	25.7	25.1	24.0	21.7	18.8	12.4	20.0
1938	13.3	12.9	15.6	19.8	23.8	25.9	25.6	25.6	24.8	22.2	16.8	15.5	20.2
1937	14.3	14.1	17.1	20.3	23.9	25.3	25.9	25.9	25.4	21.6	18.1	15.7	20.7
1936	11.8	13.7	12.1	20.1	23.2	25.8	26.1	25.6	23.9	19.3	18.1	15.4	19.6
1935	13.4	14.1	17.1	19.9	23.0	25.5	25.8	25.7	23.4	23.2	19.1	13.3	20.3
1934	10.4	12.7	15.1	18.3	22.4	25.3	25.9	25.4	25.2	20.3	18.2	14.8	19.5
1933	10.6	13.6	15.1	19.9	23.4	25.7	25.6	25.6	24.8	20.9	17.0	15.3	19.8
1932	12.1	11.5	14.4	19.9	25.1	25.8	25.3	25.4	24.1	20.7	17.6	13.6	19.7
1931	13.8	14.7	15.4	20.2	23.3	25.0	25.6	25.8	24.7	19.3	17.2	14.4	20.0
1930	10.3	13.3	15.2	21.4	23.8	25.1	25.6	25.4	23.9	21.3	17.8	15.1	19.9
1929	14.4	12.9	15.3	18.7	23.5	25.2	25.4	25.3	24.5	20.7	15.7	15.8	19.8
1928	14.7	13.1	16.0	19.4	23.4	24.3	25.9	25.8	24.0	19.4	16.8	15.6	19.9
1927	12.9	12.8	13.7	17.8	22.6	25.5	25.7	25.8	23.7	20.3	17.4	15.7	19.5
1926	13.4	13.8	15.8	19.1	22.4	23.3	25.4	25.6	24.9	20.5	17.4	14.1	19.7
1925	11.7	10.7	15.7	16.7	23.3	24.9	25.6	25.2	23.9	19.6	18.7	12.9	19.1
1924	14.9	14.4	14.8	19.1	24.1	24.8	25.4	25.3	25.0	21.1	15.3	12.7	19.8
1923	12.2	12.4	16.2	20.3	22.7	24.8	25.3	25.2	23.8	20.8	18.7	15.1	19.8
1922	14.0	14.7	15.9	19.5	24.0	25.3	25.6	25.7	24.1	21.0	15.7	12.9	19.9
1921	11.8	12.3	15.6	20.0	23.6	25.1	25.2	25.5	23.5	20.6	16.1	14.9	19.5
1920	10.8	13.4	15.3	19.0	23.1	25.1	25.8	25.6	24.8	20.8	18.8	15.6	19.9
1919	14.6	12.5	18.2	20.8	22.6	25.9	25.2	25.7	23.7	20.1	16.7	12.9	19.9
1918	7.4	12.4	15.8	19.6	22.7	24.6	25.6	24.6	24.0	20.4	18.3	16.5	19.3

Note: 1. The above figures are in °C.

Table A2.2 Monthly Average Wet-bulb Temperature of Hong Kong  
(c) For Years 1884 - 1917

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1917	9.9	12.6	14.3	19.3	21.7	25.4	25.1	25.5	24.8	21.7	15.7	11.3	19.0
1916	13.3	13.6	13.7	20.2	23.5	24.6	25.4	25.7	24.1	20.8	15.8	13.1	19.5
1915	13.0	15.7	16.0	21.9	22.2	25.4	25.9	26.2	23.9	22.9	18.2	13.6	20.4
1914	14.0	15.2	17.7	19.9	23.4	25.0	25.4	25.1	23.3	22.4	18.2	15.1	20.4
1913	12.2	14.0	14.5	20.1	22.9	25.1	25.9	25.4	24.4	20.0	17.9	13.0	19.7
1912	12.2	13.2	16.6	19.0	24.1	25.7	25.7	25.4	22.7	20.4	16.8	13.8	19.7
1911	12.6	12.9	16.8	19.0	23.1	25.9	25.3	25.4	24.4	20.3	17.9	15.6	20.0
1910	14.2	13.5	15.8	18.9	23.1	25.2	25.4	25.7	24.2	20.6	17.1	12.2	19.7
1909	14.0	13.9	16.0	19.4	21.8	25.2	25.4	25.7	25.3	22.6	16.9	13.3	20.0
1908	14.6	12.5	13.9	19.1	21.9	24.8	25.6	25.6	25.1	22.2	17.0	15.0	19.8
1907	13.3	12.6	15.7	19.0	22.3	24.1	25.3	25.3	24.2	23.6	18.8	12.8	19.8
1906	12.8	14.6	14.4	19.3	22.9	25.3	25.7	25.6	24.7	19.5	15.4	14.4	19.6
1905	15.8	11.6	13.9	18.2	23.3	25.0	25.3	25.2	24.3	21.1	16.7	16.4	19.8
1904	12.7	13.9	16.1	19.9	22.2	24.4	25.0	24.8	24.3	21.5	16.3	12.2	19.5
1903	11.7	12.2	17.9	20.4	22.5	25.4	25.6	25.2	23.8	20.8	15.4	11.9	19.5
1902	13.9	11.4	18.1	20.9	24.3	24.7	25.3	25.4	22.4	21.2	18.9	15.6	20.2
1901	16.6	8.1	15.3	20.7	23.2	24.8	25.4	25.0	23.7	21.1	16.7	13.1	19.5
1900	12.7	11.6	15.2	20.7	23.4	24.1	25.3	25.5	23.7	21.4	16.9	14.4	19.6
1899	11.5	12.6	15.6	19.2	22.7	24.4	25.9	25.2	23.6	19.6	15.8	16.7	19.4
1898	12.3	14.9	16.2	18.6	23.7	25.3	25.1	25.2	24.6	19.8	16.3	11.8	19.5
1897	15.3	10.6	16.4	18.2	24.2	25.4	25.1	25.3	24.6	21.9	17.2	12.8	19.8
1896	14.3	12.0	14.1	20.1	21.8	25.1	25.9	25.4	24.8	22.1	19.3	13.4	19.9
1895	11.3	13.7	15.2	20.6	23.0	24.7	25.3	24.9	22.6	20.8	15.8	13.7	19.3
1894	12.9	13.2	15.1	20.3	22.9	24.8	25.1	25.2	24.5	19.6	16.4	13.3	19.4
1893	11.4	11.5	14.9	19.7	21.7	24.8	24.8	25.3	24.2	20.5	15.2	12.6	18.9
1892	12.7	14.8	14.5	19.3	22.1	24.8	25.5	24.7	22.9	19.1	17.9	11.0	19.1
1891	14.1	12.7	14.8	18.3	22.7	24.6	25.3	25.1	24.2	23.7	17.1	14.5	19.8
1890	12.3	15.4	15.1	20.0	23.3	25.2	25.3	24.8	22.7	19.4	16.7	16.3	19.7
1889	12.9	12.2	16.3	19.4	23.9	25.7	25.9	25.1	24.3	23.3	16.9	13.7	20.0
1888	13.1	11.1	16.5	20.9	23.8	24.8	25.8	25.3	24.3	20.8	18.5	15.7	20.1
1887	13.2	11.3	13.9	18.6	21.7	24.8	25.2	24.6	24.8	19.6	15.9	13.3	18.9
1886	11.7	10.0	15.4	19.3	22.1	24.4	24.8	25.0	22.2	21.4	15.9	11.1	18.6
1885	12.7	11.1	14.4	20.2	23.6	25.0	25.0	24.7	23.5	20.3	15.6	14.5	19.3
1884	14.4	12.0	15.7	18.4	22.0	24.5	25.6	25.3	24.2	21.8	16.3	11.6	19.4
Mean	13.0	13.4	16.0	19.8	23.3	25.2	25.7	25.6	24.4	21.2	17.4	14.2	20.0
Max	16.6	17.5	19.8	22.5	25.4	26.4	26.5	26.3	25.5	23.7	19.8	18.9	21.1
Min	7.4	8.1	12.1	16.7	21.7	23.3	24.8	24.6	22.2	19.1	15.0	11.0	18.6

Note: 1. The above figures are in °C.  
2. The mean, maximum and minimum are for the monthly values for the years 1884 - 1994, except the years 1940 - 1946 during World War II.

Table A2.3 Monthly Average Dew-point Temperature of Hong Kong

(a) For Years 1960 - 1994

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1994	11.8	14.4	13.4	21.3	23.0	24.5	25.3	24.8	23.9	18.1	17.8	16.4	19.6
1993	9.6	13.9	16.2	19.3	23.0	25.2	25.3	25.1	23.5	18.3	16.9	10.5	18.9
1992	9.8	12.3	16.2	19.5	22.3	24.5	24.6	24.7	23.9	17.5	12.9	14.9	18.6
1991	13.5	12.5	17.9	19.2	22.9	24.6	24.9	25.2	23.1	18.3	14.4	13.9	19.2
1990	12.7	13.8	14.8	19.2	21.2	25.0	25.0	24.6	23.8	19.8	17.0	12.6	19.1
1989	12.1	11.7	13.7	19.5	22.5	24.3	24.7	25.0	23.6	19.7	15.3	12.8	18.8
1988	13.6	12.9	14.1	16.5	24.1	24.4	25.2	24.9	23.1	19.9	12.9	11.4	18.6
1987	11.7	14.1	18.8	19.3	23.0	24.1	25.4	24.9	23.2	21.9	17.8	8.7	19.4
1986	9.0	10.3	13.7	19.7	23.0	24.8	25.1	24.9	22.3	19.7	15.6	12.9	18.5
1985	10.9	13.4	13.6	17.2	23.6	24.2	24.4	25.1	23.6	20.9	17.6	10.6	18.8
1984	7.4	10.1	14.2	19.0	21.5	25.2	24.6	24.6	23.7	19.8	16.4	10.8	18.1
1983	10.8	12.3	14.1	20.3	23.1	24.5	25.2	25.2	24.1	21.8	12.4	9.7	18.7
1982	11.1	12.5	16.5	17.1	22.1	23.4	25.1	24.9	23.8	21.3	17.9	9.2	18.8
1981	9.7	14.1	17.4	21.2	21.5	23.0	24.6	25.1	23.6	20.0	15.4	8.2	18.7
1980	11.7	10.6	17.0	19.0	21.7	24.7	25.1	25.2	22.2	20.0	16.5	10.5	18.7
1979	14.0	14.8	17.2	18.9	21.9	24.2	25.1	25.1	23.4	16.2	11.8	13.3	18.8
1978	10.4	11.5	16.3	19.7	22.4	24.8	24.6	25.0	23.8	18.1	15.9	13.1	18.8
1977	9.7	7.9	14.5	20.4	24.3	25.5	25.6	25.1	22.7	21.3	12.9	14.5	18.8
1976	8.3	13.2	14.7	17.9	22.6	24.4	24.9	24.8	22.7	20.7	11.1	11.8	18.1
1975	11.8	12.8	15.5	20.6	24.0	24.5	24.7	25.0	24.1	21.3	14.3	6.9	18.8
1974	10.4	8.6	13.7	19.0	23.3	24.0	24.5	24.0	23.7	20.0	15.2	13.1	18.3
1973	12.0	16.3	17.3	21.5	24.5	25.0	25.4	25.0	24.2	18.7	14.2	5.5	19.1
1972	10.6	11.5	14.3	18.2	23.0	24.6	25.1	25.0	23.9	21.2	17.8	12.4	19.0
1971	6.1	10.6	13.8	19.1	22.3	24.8	25.0	24.4	22.9	17.3	11.5	11.9	17.5
1970	9.3	13.1	13.2	16.5	22.7	24.9	24.8	24.9	23.9	19.4	14.9	13.5	18.5
1969	14.2	11.0	13.8	17.7	23.2	23.9	25.4	24.8	23.3	18.7	12.9	8.5	18.2
1968	10.6	7.6	13.9	17.3	22.8	24.2	24.9	25.1	22.4	18.0	17.0	17.3	18.5
1967	6.6	10.0	15.0	19.1	23.9	24.0	25.2	24.9	22.4	18.0	16.8	7.2	17.8
1966	13.0	14.2	17.6	21.0	20.4	24.4	24.9	24.3	19.2	19.7	15.6	13.2	19.0
1965	10.0	14.4	13.5	18.7	20.6	24.0	24.7	24.1	22.5	20.5	17.8	12.9	18.7
1964	12.7	11.0	13.8	21.3	22.0	23.9	24.6	24.9	23.6	21.7	12.2	9.3	18.4
1963	1.3	9.2	14.5	18.9	23.1	24.0	24.5	24.8	24.4	18.4	17.9	12.1	17.8
1962	4.7	10.8	13.7	17.3	23.3	24.8	25.2	24.7	24.1	21.4	15.2	10.0	18.0
1961	8.5	11.3	15.4	18.7	21.7	24.7	25.0	24.9	23.9	19.5	17.3	12.8	18.7
1960	10.0	11.1	18.3	17.8	22.2	23.9	24.4	25.0	23.3	18.9	18.3	11.1	18.7

Note: 1. The above figures are in °C.



Table A2.3 Monthly Average Dew-point Temperature of Hong Kong  
(b) For Years 1918 - 1939 and 1947 - 1959

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1959	7.2	15.0	14.4	18.9	22.8	25.0	25.0	25.0	23.3	17.8	16.1	13.9	18.7
1958	10.6	9.4	16.7	20.6	22.8	23.9	25.0	2.9	23.3	17.2	12.8	11.7	16.4
1957	12.2	8.9	13.9	18.9	22.8	24.4	25.0	25.0	22.2	17.8	15.6	13.3	18.4
1956	7.8	12.8	15.0	19.4	22.8	24.4	25.0	24.4	22.2	18.3	11.1	10.6	17.8
1955	5.0	11.7	16.7	17.8	22.2	23.9	25.0	24.4	24.4	17.8	11.7	11.7	17.7
1954	13.9	12.2	11.7	19.4	23.3	25.0	25.0	25.0	22.8	18.3	15.0	8.9	18.4
1953	10.6	13.3	15.6	15.6	21.7	25.0	25.0	25.6	23.3	22.8	16.1	12.8	19.0
1952	11.1	12.8	16.1	20.0	23.9	25.0	25.0	25.0	23.9	20.0	16.7	8.3	19.0
1951	11.1	12.2	13.9	18.3	21.7	23.9	25.0	25.0	23.3	20.0	16.1	10.0	18.4
1950	13.9	11.1	15.6	17.8	22.2	23.9	25.0	24.4	23.9	20.6	15.6	8.3	18.6
1949	8.9	13.3	16.1	18.3	22.8	25.0	24.4	25.0	24.4	18.9	16.1	14.4	19.0
1948	10.6	14.4	16.7	20.0	23.9	24.4	25.0	25.0	23.9	20.3	13.9	16.1	19.5
1947	14.4	10.6	13.9	17.2	23.3	25.0	25.6	25.0	24.4	18.3	15.6	12.8	18.9
1939	12.2	13.3	16.7	17.2	21.7	24.4	25.0	24.4	22.8	20.0	17.8	9.4	18.8
1938	11.7	11.7	15.0	18.9	22.8	25.0	25.0	25.0	23.9	21.1	15.0	13.9	19.1
1937	12.8	13.3	16.7	19.4	23.3	24.4	25.0	25.0	24.4	20.0	16.7	13.9	19.6
1936	10.0	12.8	11.1	19.4	22.8	25.0	25.0	24.4	22.8	16.7	16.7	13.9	18.4
1935	12.2	12.8	16.1	19.4	22.2	24.4	25.0	25.0	22.8	22.2	17.8	11.7	19.3
1934	8.3	10.6	13.9	17.8	21.7	24.4	25.0	25.0	24.4	18.9	16.7	13.3	18.3
1933	8.9	12.2	13.9	18.9	22.2	25.0	24.4	24.4	23.9	19.4	15.0	13.9	18.5
1932	9.4	10.0	12.8	19.4	24.4	25.0	24.4	24.4	23.3	18.9	15.6	11.7	18.3
1931	12.8	13.9	14.4	19.4	22.8	23.9	24.4	25.0	23.9	17.2	15.0	12.8	18.8
1930	8.9	12.2	13.9	21.1	22.8	23.9	25.0	24.4	22.8	20.0	16.1	14.4	18.8
1929	12.8	11.7	13.9	17.2	22.8	23.9	24.4	24.4	23.3	18.9	13.3	14.4	18.5
1928	13.9	12.2	15.0	18.3	22.8	23.3	25.0	25.0	22.8	17.2	15.0	13.9	18.7
1927	11.7	11.7	12.8	17.2	21.7	25.0	25.0	25.0	22.8	18.9	15.0	13.9	18.4
1926	11.7	12.8	15.0	18.3	21.7	22.8	24.4	25.0	23.9	19.4	15.6	12.8	18.6
1925	10.0	8.9	14.4	16.1	22.8	23.9	24.4	24.4	22.8	17.2	16.7	10.0	17.7
1924	13.9	13.9	13.9	18.3	23.3	23.9	24.4	24.4	23.9	19.4	12.8	10.0	18.5
1923	10.0	11.1	15.0	19.4	21.7	23.9	24.4	24.4	22.2	19.4	17.2	13.3	18.6
1922	12.8	13.9	15.0	18.3	23.3	24.4	24.4	25.0	23.3	19.4	13.3	10.6	18.7
1921	9.4	10.0	15.0	19.4	22.8	24.4	24.4	24.4	22.2	18.9	12.8	12.8	18.1
1920	7.8	15.0	14.4	18.3	22.8	24.4	25.0	25.0	23.9	19.4	17.2	14.4	19.0
1919	13.9	11.1	17.8	20.0	21.7	25.0	24.4	25.0	21.7	18.3	14.4	10.6	18.7
1918	12.2	15.1	17.8	21.3	24.6	26.4	27.7	26.4	26.4	24.7	20.7	18.4	21.8

Note: 1. The above figures are in °C.

Table A2.3 Monthly Average Dew-point Temperature of Hong Kong  
(c) For Years 1884 - 1917

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1917	7.2	10.6	12.8	18.9	21.1	24.4	24.4	24.4	23.9	20.0	13.3	8.9	17.5
1916	11.7	12.2	12.8	18.9	22.8	23.9	24.4	25.0	23.3	18.9	13.9	10.0	18.2
1915	11.1	15.0	15.0	21.1	21.7	24.4	25.0	25.6	22.8	21.7	16.7	11.1	19.3
1914	11.7	13.9	17.2	19.4	22.8	23.9	24.4	23.9	21.7	21.1	16.7	13.9	19.2
1913	10.0	12.8	13.3	19.4	22.2	24.4	25.0	24.4	23.3	17.8	16.7	11.1	18.4
1912	11.1	11.7	16.1	18.3	23.3	25.0	25.0	24.4	21.1	18.3	15.0	12.2	18.5
1911	11.1	11.1	16.1	18.3	22.8	25.0	24.4	24.4	23.3	18.9	16.7	14.4	18.9
1910	12.8	12.2	15.0	18.3	21.7	23.9	24.4	25.0	23.3	18.9	15.6	10.0	18.4
1909	12.8	12.8	15.0	18.3	21.1	24.4	24.4	25.0	24.4	21.7	14.4	10.6	18.8
1908	13.3	11.1	12.8	18.3	21.1	23.9	25.0	25.0	24.4	21.1	15.0	13.3	18.7
1907	11.1	11.1	15.0	18.3	21.7	23.3	24.4	24.4	23.3	22.8	17.2	10.0	18.6
1906	11.7	13.9	13.9	18.9	22.2	24.4	25.0	24.4	23.9	17.2	12.8	12.8	18.4
1905	15.0	11.1	13.3	17.8	22.2	23.9	24.4	24.4	23.3	19.4	14.4	15.6	18.8
1904	11.1	11.7	15.6	19.4	21.1	23.3	24.4	23.9	23.3	20.0	13.9	9.4	18.1
1903	10.0	10.6	17.2	19.4	21.7	24.4	25.0	24.4	23.3	19.4	12.8	8.9	18.1
1902	11.7	8.9	17.2	20.0	23.9	23.9	24.4	24.4	20.6	19.4	17.2	13.9	18.8
1901	15.6	3.3	13.9	20.0	22.8	23.9	24.4	24.4	22.2	19.4	14.4	10.6	18.0
1900	9.4	10.0	14.4	20.0	22.8	23.3	24.4	24.4	22.2	20.0	15.0	12.2	18.2
1899	8.9	10.6	13.9	18.3	21.7	23.9	25.0	24.4	22.2	17.2	13.9	15.6	18.0
1898	10.0	13.9	15.6	17.8	22.8	24.4	23.9	24.4	23.9	17.8	13.9	7.8	18.0
1897	14.4	9.4	16.1	17.2	23.3	25.0	23.9	24.4	23.3	20.6	15.6	10.6	18.7
1896	12.8	11.1	13.3	19.4	21.1	24.4	25.0	24.4	23.9	20.6	17.8	11.7	18.8
1895	9.4	12.8	14.4	20.0	22.2	23.9	24.4	23.9	21.1	19.4	13.3	11.7	18.1
1894	11.7	11.7	13.9	19.4	22.2	23.9	24.4	24.4	23.3	17.8	13.9	11.1	18.2
1893	10.6	10.0	13.9	18.9	21.1	23.9	23.9	24.4	23.3	18.9	12.2	9.4	17.6
1892	11.1	13.9	13.9	18.9	21.1	23.9	25.0	23.9	21.7	16.7	16.7	8.3	17.9
1891	12.2	11.7	14.4	17.8	22.2	23.9	24.4	24.4	22.8	22.8	15.0	12.8	18.7
1890	10.6	14.4	14.4	19.4	22.2	24.4	24.4	23.9	21.1	17.2	15.0	15.0	18.5
1889	11.7	11.1	15.6	18.9	23.3	25.0	25.0	24.4	23.3	22.2	15.0	11.7	19.0
1888	11.1	10.0	15.6	20.6	23.3	23.9	25.0	24.4	23.3	19.4	16.7	14.4	19.0
1887	12.2	10.0	12.2	17.8	20.6	23.9	24.4	23.9	23.9	17.2	12.8	10.6	17.5
1886	9.4	8.3	15.0	18.9	21.1	23.3	23.9	23.9	20.6	20.0	13.3	7.2	17.1
1885	11.1	10.0	13.9	19.4	23.3	24.4	24.4	23.9	22.8	18.9	12.8	12.8	18.2
1884	13.3	11.1	15.6	17.8	21.1	23.9	25.0	24.4	22.8	20.6	15.0	8.9	18.3
Mean	11.2	11.6	14.6	18.8	22.3	24.2	24.6	24.5	23.0	19.3	15.1	12.0	18.5
Max	15.6	15.0	17.8	21.1	24.4	25.0	25.0	25.6	24.4	22.8	17.8	15.6	19.6
Min	2.2	3.3	11.1	16.1	20.6	22.8	23.9	23.9	20.6	16.7	12.2	7.2	17.1

Note: 1. The above figures are in °C.  
2. The mean, maximum and minimum are for the monthly values for the years 1884 - 1994, except the years 1940 - 1946 during World War II.

Table A2.4 Monthly Average Daily Total Global Solar Radiation of Hong Kong

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1994	10.17	6.72	10.01	14.97	16.57	11.92	13.28	12.63	12.1	16.75	14.01	7.31	12.24
1993	9.64	11.60	9.48	10.35	14.56	12.51	19.18	16.47	13.80	14.35	10.34	11.01	12.80
1992	12.34	7.39	6.94	9.50	11.38	13.60	16.70	17.06	15.91	16.52	14.19	10.00	12.65
1991	8.85	10.87	8.91	13.44	16.13	14.52	16.58	14.28	14.34	14.03	12.59	9.41	12.84
1990	8.08	7.47	12.63	9.59	15.00	13.89	17.62	17.11	13.72	16.17	10.83	12.41	12.93
1989	8.04	12.96	13.38	9.12	12.35	15.71	18.51	15.93	14.85	13.86	12.46	9.69	13.07
1988	11.56	9.44	6.58	10.53	13.48	17.00	19.39	13.59	16.21	12.71	12.71	12.22	12.96
1987	11.88	11.67	8.07	12.53	11.69	15.09	15.78	19.44	14.04	13.54	9.61	11.99	12.96
1986	13.40	9.62	9.18	12.13	15.17	15.95	17.17	16.30	17.10	14.37	11.33	10.77	13.57
1985	9.34	5.18	8.52	11.13	17.15	12.30	17.91	15.37	13.52	14.85	12.91	11.32	12.52
1984	9.29	7.88	8.13	8.17	13.25	15.69	21.92	15.34	15.44	14.57	12.80	8.90	12.64
1983	6.77	4.13	4.82	9.27	11.45	16.34	19.23	16.55	15.30	11.52	15.14	11.23	11.85
1982	11.25	7.23	9.90	11.79	13.88	13.68	14.97	15.81	14.40	12.02	9.55	10.69	12.13
1981	11.56	8.45	9.23	11.36	13.23	14.89	15.36	17.32	12.56	13.06	10.74	12.11	12.52
1980	8.98	8.03	9.50	10.38	12.11	17.17	16.05	16.76	14.15	13.24	12.36	10.98	12.49
1979	10.76	9.93	6.50	11.23	12.38	15.87	21.71	14.46	15.86	19.84	11.22	12.13	13.52
1978	11.91	11.17	6.86	12.45	15.36	20.02	22.50	19.74	19.69	15.64	15.31	14.10	15.41
1977	8.17	11.65	14.14	13.55	18.55	17.09	16.70	18.45	15.34	16.17	14.62	11.48	14.68
1976	13.22	11.11	10.21	12.94	15.60	15.69	17.53	18.33	14.85	13.84	14.01	10.93	14.03
1975	9.38	12.16	7.82	13.31	14.22	14.38	18.29	14.18	17.11	11.83	12.71	11.38	13.06
1974	12.07	11.86	12.01	13.99	17.30	14.25	19.82	18.62	14.89	12.45	12.23	10.32	14.17
1973	11.12	12.19	14.29	12.07	15.64	15.60	14.55	14.33	13.89	14.77	12.62	14.66	13.83
1972	15.31	10.38	20.17	12.70	15.40	21.60	20.91	18.18	19.39	18.11	12.86	12.35	16.48
1971	15.09	12.10	13.84	15.30	14.88	16.48	17.54	19.06	19.68	19.33	19.67	12.76	16.33
1970	11.49	15.66	9.18	17.02	15.95	17.77	21.53	17.96	15.68	14.22	9.15	13.57	14.93
1969	7.03	9.25	10.94	15.33	18.33	17.64	19.03	22.65	19.68	16.85	15.49	13.57	15.52
1968	14.11	8.62	12.27	16.35	16.89	17.15	20.58	16.72	18.33	17.66	14.61	10.27	15.32
1967	11.41	11.21	13.90	14.51	19.89	21.33	23.87	17.26	18.82	17.48	13.21	11.69	16.25
1966	11.58	13.50	11.04	17.38	22.03	14.96	19.75	21.33	22.33	17.81	15.27	10.74	16.49
1965	17.07	12.63	15.59	12.46	19.51	16.43	22.12	23.41	18.17	16.54	13.40	10.43	16.53
1964	9.26	11.00	14.22	20.09	18.52	16.52	22.96	17.17	16.96	14.66	17.58	15.02	16.17
1963	17.26	16.53	14.07	18.05	24.46	17.43	19.36	22.52	20.07	16.84	13.33	13.89	17.83
1962	16.48	16.35	14.69	13.89	18.02	14.63	20.33	18.85	19.89	17.88	12.22	15.57	16.58
1961	16.11	11.31	15.57	15.56	21.96	24.06	21.45	15.42	12.69	22.02	15.80	13.69	17.19
1960	14.99	21.28	12.56	13.11	15.24	17.42	23.35	14.75	17.83	15.66	13.10	12.95	16.00
1959	11.95	5.45	13.45	14.58	18.46	15.04	18.38	16.75	17.93	21.94	17.60	13.82	15.52
1958	9.62	15.28	12.05	18.09	17.72	18.25	18.02	18.57	16.31	16.67	15.68	13.68	15.82
Mean	11.53	10.79	11.10	13.20	16.05	16.21	18.92	17.26	16.29	15.67	13.33	11.87	14.37
Max	17.26	21.28	20.17	20.09	24.46	24.06	23.87	23.41	22.33	22.02	19.67	15.57	17.83
Min	6.8	4.1	4.8	8.2	11.4	11.9	13.3	12.6	12.1	11.5	9.2	7.3	11.9

Note: 1. The above figures are in MJ/m<sup>2</sup>/day.  
2. The mean, maximum and minimum are for the monthly values for the years 1958 - 1994.